

06-15-00

A

Express Mail Label No. EK 069303315 US

06/14/00

Jc862 U.S. PTO

**UTILITY PATENT APPLICATION TRANSMITTAL
(Large Entity)***(Only for new nonprovisional applications under 37 CFR 1.53(b))*

Docket No.

1174

Total Pages in this Submission

TO THE ASSISTANT COMMISSIONER FOR PATENTSBox Patent Application
Washington, D.C. 20231

Transmitted herewith for filing under 35 U.S.C. 111(a) and 37 C.F.R. 1.53(b) is a new utility patent application for an invention entitled:

SYRINGE FOR MEDICAL PURPOSESJc520 U.S. PTO
09/593571

06/14/00

and invented by:

Jochen HEINZ, Michael SPALLEKIf a **CONTINUATION APPLICATION**, check appropriate box and supply the requisite information:☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Enclosed are:

Application Elements

1. ☒ Filing fee as calculated and transmitted as described below
2. ☒ Specification having 21 pages and including the following:
 - a. ☒ Descriptive Title of the Invention
 - b. ☐ Cross References to Related Applications *(if applicable)*
 - c. ☐ Statement Regarding Federally-sponsored Research/Development *(if applicable)*
 - d. ☐ Reference to Microfiche Appendix *(if applicable)*
 - e. ☒ Background of the Invention
 - f. ☒ Brief Summary of the Invention
 - g. ☒ Brief Description of the Drawings *(if drawings filed)*
 - h. ☒ Detailed Description
 - i. ☒ Claim(s) as Classified Below
 - j. ☒ Abstract of the Disclosure

UTILITY PATENT APPLICATION TRANSMITTAL (Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.
1174

Total Pages in this Submission

Application Elements (Continued)

3. ☒ Drawing(s) (when necessary as prescribed by 35 USC 113)
- a. ☒ Formal Number of Sheets 7
- b. ☐ Informal Number of Sheets _____
4. ☒ Oath or Declaration
- a. ☐ Newly executed (original or copy) ☒ Unexecuted
- b. ☐ Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional application only)
- c. ☒ With Power of Attorney ☐ Without Power of Attorney
- d. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named in the prior application,
see 37 C.F.R. 1.63(d)(2) and 1.33(b).
5. ☐ Incorporation By Reference (usable if Box 4b is checked)
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied
under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby
incorporated by reference therein.
6. ☐ Computer Program in Microfiche (Appendix)
7. ☐ Nucleotide and/or Amino Acid Sequence Submission (if applicable, all must be included)
- a. ☐ Paper Copy
- b. ☐ Computer Readable Copy (identical to computer copy)
- c. ☐ Statement Verifying Identical Paper and Computer Readable Copy

Accompanying Application Parts

8. ☐ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(B) Statement (when there is an assignee)
10. ☐ English Translation Document (if applicable)
11. ☒ Information Disclosure Statement/PTO-1449 ☒ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☒ Acknowledgment postcard
14. ☒ Certificate of Mailing
- ☐ First Class ☒ Express Mail (Specify Label No.): EK 069303315 US

UTILITY PATENT APPLICATION TRANSMITTAL (Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.
1174

Total Pages in this Submission

Accompanying Application Parts (Continued)

15. ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)

16. ☐ Additional Enclosures (please identify below):

Fee Calculation and Transmittal

CLAIMS AS FILED

For	#Filed	#Allowed	#Extra	Rate	Fee
Total Claims	20	- 20 =	0	x \$18.00	\$0.00
Indep. Claims	3	- 3 =	0	x \$78.00	\$0.00
Multiple Dependent Claims (check if applicable) <input checked="" type="checkbox"/>					\$260.00
BASIC FEE					\$690.00
OTHER FEE (specify purpose)					
TOTAL FILING FEE					\$950.00

- ☐ A check in the amount of _____ to cover the filing fee is enclosed.
- ☒ The Commissioner is hereby authorized to charge and credit Deposit Account No. **19-4675** as described below. A duplicate copy of this sheet is enclosed.
- ☒ Charge the amount of **\$950.00** as filing fee.
 - ☒ Credit any overpayment.
 - ☒ Charge any additional filing fees required under 37 C.F.R. 1.16 and 1.17.
 - ☐ Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).


Signature

Dated: JUNE 14, 2000

CC:

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates to a syringe or injection device for medical
5 purposes with a plastic syringe body, formed for transferring medical substances
from containers, which are closed by an elastomeric closure, into an infusion
container.

It also relates to a preferably pre-filled syringe. It is a matter of a filled
syringe made from glass or plastic, which either has a metal needle glued to its
10 head end or a conical part or section for receiving a medical needle.

2. Prior Art

All of the above-mentioned syringes or injection devices have the serious
disadvantage that there is a danger of injuring the user with the needle. Thus the
widest variety of expensive safety systems for needles was developed, in order to
15 reduce the danger of injury from the needle.

The known filled syringes are well suited for direct injection into the patient.
These syringes are poorly suited for drawing up a liquid medication from a
standardized medication bottle provided with an elastomeric closure or a powdery
medication from a standardized injector bottle.

20 Preparations, as they are used predominantly in medicine, pharmaceuticals
and diagnostics and laboratory or analytical work, are primarily supplied
commercially in the above-mentioned containers or are supplied in this form to the
end consumer (user).

The preparations must be taken from the closed containers in a suitable way in each application, without impairing their functioning as much as possible.

Frequently these preparations must be mixed with other substances prior to their use. For example, this is the case, when the preparations are present in solid form, i.e. when they are in the form of a powder or lyophilizate, which must be converted into a solution prior to use. Another example is the thinning of a liquid concentrated preparation.

Typically access to the container interior occurs by penetration of the elastomeric closure by means of a hollow needle and disposable syringe as "intermediate carrier". When a liquid preparation is to be applied for example, the syringe is pulled out after penetration of the closing stopper of the container and is subsequently used to administer the preparation. When a mixture with another liquid substance should take place, the syringe first draws the other liquid substance up and then the stopper of the container is pierced and the syringe is emptied into it. After mixing the substances in the container the syringe draws up the mixed solution and subsequently applies it.

The steps of the method of application or use are similar when the active ingredient is present in solid form. First the injecting device or syringe draws up the solvent, the syringe pierces the stopper of the container holding the solid and after that is emptied into it. If necessary a mixing process can be performed with other substances. After that the syringe draws up the product solution to be applied.

If the syringe is a syringe of the above-described type with a medical hollow needle, the medical hollow needle used can be easily damaged when it pierces the

elastomeric closure of a container, which makes the exchange of the hollow needle routinely necessary. Injury to medical personnel or the user of the syringe can occur because of a required exchange of the hollow needle. Furthermore penetration of an elastomeric closure by use of a medical hollow needle causes the punching out of elastomer particles. There is thus a great danger that these elastomer particles are delivered together with the medication.

These disadvantages can be avoided in a known manner by closing the container with an integrated "transfer set". The term "transfer set" means an additional device for conveying, i.e. transferring a preparation, directly, or after mixing with another substance, into a final container provided for the use, application, or directly into an applicator.

These transfer sets are especially suited for dissolving a powdery medication in the respective medication/injector bottles. They are not however suitable for transfer of the powdery medication directly into a rigid infusion bottle, since the necessary transfer pressure cannot be applied.

Summary of the Invention

It is an object of the present invention to provide a syringe for medical purposes of the above-described type with a plastic syringe body, formed for transferring a medical substance from a medical container, which is closed by an elastomeric closure, into an infusion container formed so that a reliable transfer of a powdery preparation found in the separate container into a rigid infusion bottle

and also into a non-rigid infusion bag is guaranteed as simply as possible without using a medicinal syringe hollow needle.

According to the invention the front end of the syringe body has a hollow peg or pin made from a plastic material for penetration of the elastomeric closure.

5 Because of this feature an injector device or syringe for medical purposes, especially a pre-filled syringe, is provided, which can be used without a medical syringe hollow needle for penetration of the elastomeric closure.

The hollow peg, which can also be called a hollow spike, is sufficiently long and sharp so that it can penetrate the standard elastomeric closure of the infusion
10 bottle made from plastic or glass and infusion bags, especially the standardized syringe stoppers, or standardized freeze-dry stoppers or standardized freeze-dried stoppers for infusion bottles.

The hollow peg guarantees that the danger of injury and injection of elastomer particles for the user is substantially less than in the case of medical
15 hollow needles.

The hollow peg not only pierces the closure of the separate container in an easy manner, especially of medical/injection bottles, but also the closures of infusion bottles or infusion bags.

DE 77 02 734 U1 of course describes an arrangement for transferring
20 medical substances from or into a container, which is closed by an elastomeric stopper, by means of a syringe, however this transfer happens with different means. While in the case of the invention the syringe body is provided directly with a hollow plastic peg on its front end as part of the syringe by means of which the

elastomeric stopper is penetrated during each transfer process. In the known case a drawing and aerated hollow needle with a hollow plunge-cut piercing pin on its front end, separate from the syringe, is installed permanently in the container after piercing the stopper. This hollow needle has a filter for aeration of the container with germ-free air and a rubber insert for closing the passage in the hollow needle when it is not in use. The syringe itself in the known case only has a conventional cone-like injector head, with which the ends of the slotted rubber insert are spread in the case of a transfer, in order to form the opening for fluid transfer.

DE 77 02 734 U1 does not show the syringe according to the invention. It discloses a special closure insert introduced into the stopper of the container holding the medical liquid by means of the plunge-cut piercing pin, which allows it to perform repeated transfer of the medical liquid with a conventional syringe, without further piercing of the stopper.

EP 0 306 606 describes a transfer syringe with two hollow needles. One of the two hollow needles is used for piercing the stopper of the container and aeration during withdrawing of the medical liquid from the container. The other hollow needle is used for the "basic" injection for delivery of the medical liquid to the patient.

In both cases however typical injection hollow needles are used, which are made from a metal, i.e. the known "aspiration needle 01". This known hollow needle is not a hollow peg or pin as in the case of the invention and also is not made of plastic material.

In the case of the invention however the use of medical hollow needles is avoided.

A conventional injector syringe is known from DE 21 64 363 A1, which has an injector needle made from plastic, but which is not a hollow peg in the sense of the invention. The injector syringe of this reference furthermore is not a transfer syringe in the sense of the present invention.

The syringe according to a further embodiment of the invention is formed so that the plastic hollow peg has a one-piece holder for penetration of a cone-shaped syringe head of the syringe body.

In this case the syringe is constructed in two pieces. The syringe body and hollow peg are made as separate parts. The hollow peg is then placed releasably on the syringe head with a holder.

According to another preferred embodiment of the invention however the syringe is preferably formed in one piece with the hollow peg, since the outlet end of the injector body is formed directly as a hollow peg.

The hollow peg can be formed in different ways according to the type of application, i.e. which type of closure should be penetrated. Thus according to a first embodiment it is conceivable that the hollow peg is a hollow cylinder, i.e. has a constant diameter over its entire length.

According to another embodiment the hollow peg can be conical and tapered, which increases the strength of the hollow peg at its base.

Also the penetrating end of the hollow peg can be formed in different ways. According to a first embodiment the hollow peg has an insertion end with a slant or a bevel over its entire diameter, whereby an eccentric tip is produced.

According to an additional embodiment of the invention the hollow peg for
5 piercing is shaped like a cone and comes to a tip so that the piercing action is centered. The hollow peg can thus have only a single eccentrically arranged flow passage or it can alternatively have two symmetrically arranged flow passages. A greater flow results in the case of the latter embodiment.

In order to guarantee a sterile aeration of the application container,
10 according to one embodiment of the invention a connector for attaching a sterile filter is formed on the body end of the hollow peg.

The invention also includes a pre-assembled syringe and container
arrangement including a syringe for transferring a medical substance from a
preparation container into an infusion container, which comprises a plastic syringe
15 body having preferably two bulging projections spaced axially from each other on an exterior surface thereof and having a front end and a plastic hollow peg arranged on the front end of the plastic syringe body and the preparation container for holding the medical substance to be transferred to the infusion container.

Preferably the preparation container has an elastomeric closure including a
20 connector for engaging a front portion of the hollow peg to seal a connection thus formed between the preparation container and the syringe in a storage condition and the hollow peg includes means for penetrating the elastomeric closure to draw the medical substance from the preparation container. A holder for holding the

syringe on the preparation container in a plurality of positions may also be provided. The holder includes means for engagement of the elastomeric closure with one bulging projection in the storage condition so that the syringe is closed by the connection with the connector but the hollow peg does not penetrate the elastomeric closure or alternatively with another of the bulging projections so that the elastomeric closure is penetrated by the hollow peg.

Brief Description of the Drawing

The objects, features and advantages of the invention will now be illustrated in more detail with the aid of the following description of the preferred embodiments, with reference to the accompanying figures in which:

Figure 1 is a longitudinal cross-sectional view of a basic embodiment of a conventional syringe in a stored condition, which forms the basis for the syringe according to the invention,

Figure 2 is a longitudinal cross-sectional view of the syringe of Fig. 1 ready for use with a cylindrical hollow peg according to the invention,

Figure 3 is a cross-sectional action view of the syringe according to the invention shown in figure 2 in use with the pierced stopper of a medication bottle,

Figure 4 is a longitudinal cross-sectional view through another syringe according to the invention that is similar to that of Fig. 2, but with a conical hollow peg,

Figure 5 is a cross-sectional action view of the syringe shown in figure 4 in use, which is similar to Fig. 3,

Figure 6 is a longitudinal cross-section view of another embodiment of the syringe according to the invention in a stored condition with the hollow peg in one piece with the syringe body,

Figure 7 is a longitudinal cross-sectional action view of the syringe shown in Fig. 6 in use, which is analogous to Fig. 3,

Figure 8 is a longitudinal cross-sectional view of another embodiment of a syringe according to the invention similar to the embodiment of Fig. 6, which is additionally provided with a sterile filter,

Figure 9 is a longitudinal cross-sectional action view of the syringe shown in Fig. 6 in use,

Figure 10 is a longitudinal cross-sectional view of an additional embodiment of a syringe according to the invention in which the hollow peg is formed in one piece with the syringe body; the hollow peg coming to a tip and having two symmetrically arranged flow passages,

Figure 11 is a longitudinal cross-sectional action view of the syringe shown in Fig. 10 in use,

Figure 12 is a longitudinal cross-sectional view of an additional embodiment of a syringe according to the invention in which the hollow peg is formed in one piece with the syringe body; the hollow peg coming to a tip and having an asymmetrically arranged flow passage,

Figure 13 is a longitudinal cross-sectional view through the syringe shown in Fig. 6 provided with a holder during application with a medication bottle, and

Figure 14 is a longitudinal cross-sectional view through a syringe according

to Fig. 6, which has a standard hollow needle pushed on the hollow peg.

Description of the Preferred Embodiments

5 Figure 1 is conventional plastic syringe with a syringe body 1, which comprises a syringe cylinder 2 and a conical syringe head 3, which is closed by an elastomeric cap, a so-called tip-cap, 4. A piston stopper 5 with a piston rod 6 and a finger flange 7 on the syringe cylinder 2 completes the syringe body 1 of the conventional syringe.

10 Figure 1 illustrates the basic structure of a known syringe. If the syringe is pre-filled and closed with the elastomeric cap, the piston stopper 5 rests at the lower end of the syringe cylinder 2 without adding the piston rod 6.

15 Fig. 2 shows the syringe according to the invention based on the basic structure according to fig. 1 and ready for use. A one-piece hollow peg 9, the spike, is placed on the conical syringe head 3 by means of its complementarily-formed retaining section 8 after removing the elastomeric cap 4 from the known syringe of fig. 1 to form the syringe according to the invention shown in fig. 2. The retaining section 8 of the hollow peg 9 is made of plastic material and they are preferably injection-molded parts, like the syringe body.

20 The hollow peg 9 has a sharp edged bevel 9a on the front end of its interior flow passage, which makes the penetration of the elastomeric stopper easy, without a noteworthy injury danger.

Figure 3 shows the syringe according to the invention in use in a medical bottle 10. The hollow peg 9 pierces the stopper 11 of the medical bottle 10, so that, according to the application, the contents of the syringe can be delivered to the medical bottle, e.g. for thinning of a solution contained in it or for dissolving a solid, e.g. freeze-dried, medical substance. After that the syringe can be drawn out in order to transfer its contents subsequently into an infusion container. This infusion container can be an infusion bottle made from glass or plastic with a standardized closure or an infusion bag with a conventional penetrable access opening, also called a port.

With the needle according to figures 1 to 3 the retaining section 8 of the hollow peg 9 on the front end has a truncated-cone-shaped tapering portion 9b connected to the hollow peg 9, which has the same diameter over its entire length.

The truncated-cone-shaped portion 9b in the embodiment of the syringe according to the invention shown in Figs. 4 and 5 is formed less strong than in the case of the embodiment of figs. 1 to 3. The hollow peg 9 in this embodiment is conically tapered to a point. Furthermore the hollow peg is longer than in the first embodiment. It can thus penetrate deeper into the container 10, as shown from fig. 5.

Otherwise the embodiment of the syringe shown in figures 4 and 5 corresponds to that shown in figures 1 to 3.

In the two-piece embodiments of the injector or syringe shown in figures 1 to 5 the hollow peg 9 with its retaining section 8 is formed as a separate part, which is placed on the syringe head 3.

Figures 6 and 7 show a syringe with a front portion, which is directly formed as a hollow peg 9, which is in one-piece with the remaining portion of the syringe. In other words, the syringe head 3 of the embodiment of fig. 1 is formed in a manner similar to the hollow peg 9 in the embodiment of figs. 6 and 7. The hollow
5 peg 9 must be formed so as to be able to penetrate the closure of the container 10.

The hollow peg 9 in the embodiment of figs. 6 and 7 can have an equal diameter along its entire length as in the case of the embodiment of figures 1 to 3. It can also, as illustrated however, be conical and tapering as in the case of the embodiment of figs. 4 and 5.

10 The embodiment of figures 6 and 7 is a preferred embodiment, because the entire tip can be made in a single processing operation. Furthermore the handling of the syringe is easier because the retaining section is omitted during use, along with a reduction of the danger of injury.

Figures 8 and 9 show an embodiment of the syringe according to the invention similar to that of figures 6 and 7. Figure 8 shows the stored syringe and
15 figure 9 shows the syringe in use.

The syringe of figs. 8 and 9 also has a sterilization filter 12, which allows sterile aeration of the container 10 during use. When a liquid is fed into this container, the air displaced must be discharged, or, when liquid is drawn from this
20 container, air must flow in, which should be sterile.

For connection of a sterile filter the hollow peg 9 of the syringe has an extended hollow cylindrical section 9c and a connector 9d formed at the so-called

syringe head, which connects to an interior passage in the hollow peg 9 and is equipped with the sterile filter.

The sterile filter can also be releasably integrated in the hollow peg in other embodiments.

5 All embodiments of the syringe according to the invention shown up to now have a hollow peg 9 with a through-going bevel on its front end. In contrast, in the embodiment of the syringe shown in figs. 10 to 12 the hollow peg is conical, comes to a point at its penetrating end and has lateral openings in its conical surface. In the embodiment according to fig. 12 the hollow peg 9 is provided with only a single
10 eccentrically positioned flow passage 9e. In the embodiment of figs. 10 and 11 the hollow peg 9 has two flow passages 9f and 9g that are symmetrically located with respect to the syringe longitudinal axis.

The structure of the hollow peg 9 coming to a tip, also is called a lancet, is better suited for penetration of the closure of some containers than the beveled
15 structure according to figures 1 to 9 with the asymmetric tip.

Fig. 13 shows a container 10 with a special closure 11 having a connector 11a and a holder 10a for the syringe in the embodiment of fig. 6, which has bulging projections 2a and 2b for a shape- or form-locking connection with a complementary end of the holder 10a.

20 This special embodiment according to fig. 13 permits storage of the syringe 1 together with the preparation container 10. While being stored the cone-shaped holder 10 is fixed on a bulging projection 2a (closest to the head end of the syringe). In this position the elastomeric closure 11 of the container is not pierced.

The hollow peg 9 is only sealed in the molded connector 11a. In this pre-assembled syringe and container arrangement the syringe 1 and the medication container 10 are thus closed in the storage state. Next shortly prior to use the syringe is pushed into the position shown in Fig. 13, so that the holder 10a engages on the bulging projection 2b furthest from the head end. In this position now the contents of the syringe 1 can be transferred into the bottle 10. After drawing the mixed contents up into the syringe from the bottle it can now be withdrawn from the connector 11a and the holder 10a and can now, as already described, be again used. The pre-positioning of the syringe on the bottle facilitates prevention of use by non-professionals.

The syringe of fig. 6 is shown in fig. 14. A standard hollow needle 14 is mounted on the hollow peg 9 by means of a needle carrier 13, which guarantees that the syringe according to the invention is universally usable.

Typically the cross-section of the hollow peg is round. However it can also be oval.

The hollow peg 9 is centrally mounted on the injector or syringe body 1 in figs. 1 to 14. It is also conceivable to mount the hollow peg off center.

The syringes of figs. 1 to 14 can also be formed as finished products. They are then filled, for example with a solvent.

The manufacture of the syringe according to figs. 1 to 14, the choice of plastic material, optionally the application of a barrier layer or lubricating layer and the filling of the injector occur according to the state of the art.

The disclosure in German Patent Application 199 27 201.8-41 of June 15, 1999 is incorporated here by reference. This German Patent Application describes the invention described hereinabove and claimed in the claims appended hereinbelow and provides the basis for a claim of priority for the instant invention
5 under 35 U.S.C. 119.

While the invention has been illustrated and described as embodied in a syringe or injector device for medical purposes, it is not intended to be limited to the details shown, since various modifications and changes may be made without departing in any way from the spirit of the present invention.

10 Without further analysis, the foregoing will so fully reveal the gist of the present invention that others can, by applying current knowledge, readily adapt it for various applications without omitting features that, from the standpoint of prior art, fairly constitute essential characteristics of the generic or specific aspects of this invention.

15 What is claimed is new and is set forth in the following appended claims.

We claim:

- 1 1. A syringe for transferring a medical substance from a medical container provided
2 with an elastomeric closure into an infusion container, said syringe comprising
3 a plastic syringe body (1) having a front end; and
4 a plastic hollow peg (9) arranged on the front end of the plastic syringe body
5 (1), wherein said plastic hollow peg (9) includes means for piercing the elastomeric
6 closure (11) of the infusion container (10).
- 1 2. The syringe as defined in claim 1, wherein said plastic syringe body (1) has a
2 conical-shaped syringe head (3) and said plastic hollow peg includes a retaining
3 section (8) formed for engagement with said syringe head (3).
- 1 3. The syringe as defined in claim 1, wherein said plastic hollow peg (9) is in one-
2 piece with said plastic syringe body (1) and forms an outlet end portion of said
3 plastic syringe body (1).
- 1 4. The syringe as defined in claim 1 or 3, wherein said hollow peg (9) is cylindrical.
- 1 5. The syringe as defined in claim 1 or 3, wherein said hollow peg (9) is conical and
2 tapered.

1 6. The syringe as defined in claim 1 or 3, wherein said hollow peg (9) has a bevel
2 (9a) extending over an entire diameter of said hollow peg at a piercing end of said
3 hollow peg (9).

1 7. The syringe as defined in claim 1, wherein said hollow peg (9) is conical and
2 comes to a point.

1 8. The syringe as defined in claim 7, wherein said hollow peg (9) is provided with
2 an eccentrically located flow passage (9e).

1 9. The syringe as defined in claim 7, wherein said hollow peg (9) is provided with
2 two symmetrically arranged flow passages (9f, 9g).

1 10. The syringe as defined in claim 1, further comprising a sterilization filter (12)
2 mounted on a body end (9c) of the hollow peg (9).

1 11. The syringe as defined in claim 10, further comprising a connector (9d) for
2 connecting said sterilization filter (12) to the hollow peg (9).

1 12. The syringe as defined in claim 1, wherein said hollow peg (9) has an oval
2 cross-section.

1 13. The syringe as defined in claim 1, wherein said hollow peg (9) is mounted
2 eccentrically on said syringe body (1).

1 14. The syringe as defined in claim 1, wherein said hollow peg (9) is formed so that
2 a standard hollow needle can be placed on said hollow peg (9).

1 15. A pre-assembled syringe and container arrangement comprising a syringe for
2 transferring a medical substance from a medical container (10) into an infusion
3 container and the medical container, wherein said syringe comprising a plastic
4 syringe body (1) and a plastic hollow peg (9) arranged at the front end of the plastic
5 syringe body (1), said medical container (10) has an elastomeric closure (11)
6 and said plastic hollow peg (9) includes means for penetrating said elastomeric
7 closure, whereby said medical substance may be drawn from said medical
8 container (10) by said syringe.

1 16. A syringe and container arrangement comprising
2 a syringe for transferring a medical substance from a preparation container
3 (10) into an infusion container, said syringe comprising a plastic syringe body (1)
4 having at least two bulging projections (2a,2b) spaced axially from each other on
5 an exterior surface thereof and having a front end and a plastic hollow peg (9)
6 arranged on the front end of the plastic syringe body (1);
7 the preparation container (10) for holding the medical substance to be
8 transferred to the infusion container, said preparation container having an

9 elastomeric closure (11), said elastomeric closure (11) including a connector (11a)
10 for engaging a front portion of the hollow peg (9) to seal a connection thus formed
11 between the preparation container (10) and the syringe (1) in a storage condition
12 and said hollow peg including means for penetrating said elastomeric closure to
13 draw the medical substance from the preparation container (10); and

14 a holder (10a) for holding said syringe body (1) on said preparation
15 container (10), wherein said holder comprises means for engagement of said
16 elastomeric closure (11) with one of said at least two bulging projections (2a,2b) of
17 said syringe (1) in said storage condition, whereby the syringe is closed by the
18 connection with the connector (11a) but the hollow peg (9) does not penetrate the
19 elastomeric closure, or alternatively with another of said at least two bulging
20 projections so that said elastomeric closure (11) is penetrated by said hollow peg
21 (9).

1 17. The syringe and container arrangement as defined in claim 16, wherein said
2 syringe is pre-filled with another substance for delivery to said preparation
3 container.

ABSTRACT OF THE DISCLOSURE

The syringe for transferring a medical substance from a container (10) provided with an elastomeric closure into an infusion container has a plastic syringe body (1). In order to avoid the danger of injury to a user by medical hollow needles previously used on syringes, a plastic hollow peg (9) is arranged at the front end of the plastic syringe body (1) instead of the typical sharp hollow needle. However the plastic hollow peg (9) is formed so that it can pierce the elastomeric closure (11) of the container (10). The hollow peg (9) is preferably in one piece with the syringe body (1). A transfer arrangement including a syringe (1), a preparation container (10) and a holder (10a) that holds the syringe on the preparation container is also described. The holder (10a) allows the syringe to be held in a storage position in which the hollow peg does not penetrate the elastomeric closure, but in which the syringe is closed, and in a position in which the contents of the preparation container can be drawn into the syringe.

FIG.1




FIG.3




FIG.2




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG.10




FIG.11




FIG. 12




FIG. 13





FIG.14



Declaration and Power of Attorney for Patent Application

Erklärung für Patentanmeldungen mit Vollmacht

German Language Declaration

Als nachstehend benannter Erfinder erkläre ich hiermit an Eides Statt:

Jochen HEINZ
Michael SPALLEK

dass mein Wohnsitz, meine Postanschrift und meine Staatsangehörigkeit den im nachstehenden nach meinem Namen aufgeführten Angaben entsprechen, dass ich nach bestem Wissen der ursprüngliche, erste und alleinige Erfinder (falls nachstehend nur ein Name angegeben ist) oder ein ursprünglicher, erster und Miterfinder (falls nachstehend mehrere Namen aufgeführt sind) des Gegenstandes bin, für den dieser Antrag gestellt wird und für den ein Patent für die Erfindung mit folgendem Titel beantragt wird:

SPRITZE FÜR MEDIZINISCHE ZWECKE

deren Beschreibung hier beigelegt ist, es sei denn (in diesem Falle Zutreffendes bitte ankreuzen), diese Erfindung

- ☐ wurde angemeldet am _____ unter der US-Anmeldenummer oder unter der Internationalen Anmeldenummer im Rahmen des Vertrags über die Zusammenarbeit auf dem Gebiet des Patentwesens (PCT) _____ und am _____ abgeändert (falls zutreffend).

Ich bestätige hiermit, dass ich den Inhalt der oben angegebenen Patentanmeldung, einschliesslich der Ansprüche, die eventuell durch einen oben erwähnten Zusatzantrag abgeändert wurde, durchgesehen und verstanden habe.

Ich erkenne meine Pflicht zur Offenbarung jeglicher Informationen an, die zur Prüfung der Patentfähigkeit in Einklang mit Titel 37, § 1.56 von Belang sind.

As a below named inventor, I hereby declare that:

Jochen HEINZ
Michael SPALLEK

My residence, post office address and citizenship are as stated next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

SYRINGE FOR MEDICAL PURPOSES

the specification of which is attached hereto unless the following box is checked:

- ☐ was filed on _____ as United States Application Number or PCT International Application Number _____ and was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Code of Federal Regulations, Regulations, § 1.56.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

German Language Declaration

Ich beanspruche hiermit ausländische Prioritätsvorteile gemäß Title 35, US-Code, § 119 (a)-(d), bzw. § 365(b) aller unten aufgeführten Auslandsanmeldungen für Patente oder Erfinderurkunden, oder § 365(a) aller PCT internationalen Anmeldungen, welche wenigstens ein Land ausser den Vereinigten Staaten von Amerika benennen, und habe nachstehend durch ankreuzen sämtliche Auslandsanmeldungen für Patente bzw. Erfinderurkunden oder PCT internationale Anmeldungen angegeben, deren Anmeldetag dem der Anmeldung, für welche Priorität beansprucht wird, vorangeht.

Prior Foreign Applications
(Frühere ausländische Anmeldungen)

199 27 201.8-41 GERMANY
(Number) (Country)
(Nummer) (Land)

(Number) (Country)
(Nummer) (Land)

Ich beanspruche hiermit Prioritätsvorteile unter Title 35, US-Code, § 119(e) aller US-Hilfsanmeldungen wie unten aufgezählt.

(Application No.) (Filing Date)
(Akzenzeichen) (Anmeldetag)

Ich beanspruche hiermit die mir unter Title 35, US-Code, § 120 zustehenden Vorteile aller unten aufgeführten US-Patentanmeldungen bzw. § 365(c) aller PCT internationalen Anmeldungen, welche die Vereinigten Staaten von Amerika benennen, und erkenne, insofern der Gegenstand eines jeden früheren Anspruchs dieser Patentanmeldung nicht in einer US-Patentanmeldung, bzw. PCT internationalen Anmeldung in in einer gemäß dem ersten Absatz von Title 35, US-Code, § 112 vorgeschriebenen Art und Weise offenbart wurde, meine Pflicht zur Offenbarung jeglicher Informationen an, die zur Prüfung der Patentfähigkeit in Einklang mit Title 37, Code of Federal Regulations, § 1.56 von Belang sind und die im Zeitraum zwischen dem Anmeldetag der früheren Patentanmeldung und dem nationalen oder im Rahmen des Vertrags über die Zusammenarbeit auf dem Gebiet des Patentwesens (PCT) gültigen internationalen Anmeldetages bekannt geworden sind.

(Application No.) (Filing Date)
(Akzenzeichen) (Anmeldetag)

(Application No.) (Filing Date)
(Akzenzeichen) (Anmeldetag)

Ich erkläre hiermit, dass alle in der vorliegenden Erklärung von mir gemachten Angaben nach bestem Wissen und Gewissen der Wahrheit entsprechen, und ferner dass ich diese eidesstattliche Erklärung in Kenntnis dessen ablege, dass wissentlich und vorsätzlich falsche Angaben oder dergleichen gemäß § 1001, Title 18 des US-Code strafbar sind und mit Geldstrafe und/oder Gefängnis bestraft werden können und dass derartige wissentlich und vorsätzlich falsche Angaben die Rechtswirksamkeit der vorliegenden Patentanmeldung oder eines aufgrund deren erteilten Patentes gefährden können.

I hereby claim foreign priority under Title 35, United States Code, § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

Priority Not Claimed
Priorität nicht beansprucht

JUNE 15, 1999 ☐
(Day/Month/Year Filed)
(Tag/Monat/Jahr der Anmeldung)

(Day/Month/Year Filed) ☐
(Tag/Monat/Jahr der Anmeldung)

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below.

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s), or § 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application.

(Status) (patented, pending, abandoned)
(Status) (patentiert, schwebend, aufgegeben)

(Status) (patented, pending, abandoned)
(Status) (patentiert, schwebend, aufgegeben)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

German Language Declaration

VERTRETUNGSVOLLMACHT: Als benannter Erfinder beauftrage ich hiermit den (die) nachstehend aufgeführten Patentanwalt (älte) und/oder Vertreter mit der Verfolgung der vorliegenden Patentanmeldung sowie mit der Abwicklung aller damit verbundenen Angelegenheiten vor dem US-Patent- und Markenamt: *(Name(n) und Registrationsnummer(n) auflisten)*

Michael J. Striker, Registration No. 27233

Postanschrift
STRIKER, STRIKER & STENBY
103 East Neck Road
Huntington, NY 11743

Telefonische Auskünfte (Name und Telefonnummer)

Michael J. Striker
(631) 549 4700

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: *(list name and registration number)*

Michael J. Striker, Registration No. 27233

Send Correspondence to:
STRIKER, STRIKER & STENBY
103 East Neck Road
Huntington, NY 11743

Direct Telephone Calls to:

Michael J. Striker
(631) 549 4700

Vor- und Zuname des einzigen oder ersten Erfinders Jochen HEINZ	Full name of sole or first inventor Jochen HEINZ
Unterschrift des Erfinders Datum	Inventor's signature Date
Wohnsitz Hauptstrasse 48, 55578 Vendersheim, Germany	Residence Hauptstrasse 48, 55578 Vendersheim, Germany
Staatsangehörigkeit GERMANY	Citizenship GERMANY
Postanschrift Hauptstrasse 48, 55578 Vendersheim, Germany	Post Office Address Hauptstrasse 48, 55578 Vendersheim, Germany
Vor- und Zuname des zweitens Erfinders (falls zutreffend) Michael SPALLEK	Full name of second joint inventor, if any Michael SPALLEK
Unterschrift des Erfinders Datum	Second inventor's signature Date
Wohnsitz Stauferring 25, 55218 Ingelheim, Germany	Residence Stauferring 25, 55218 Ingelheim, Germany
Staatsangehörigkeit GERMANY	Citizenship GERMANY
Postanschrift Stauferring 25, 55218 Ingelheim, Germany	Post Office Address Stauferring 25, 55218 Ingelheim, Germany